

Crystalite Glass Beads

Crystalite Design

Chemwatch: 4966-84 Version No: 6.1.1.1

Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 0

Issue Date: 02/12/2014 Print Date: 02/12/2014 Initial Date: Not Available S.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

| Product name | Crystalite Glass Beads |
|-------------------------------|--|
| Synonyms | Crystalite Safety Grit Bead Mix, Manufacturer's Code : SBMBA |
| Proper shipping name | Not Applicable |
| Chemical formula | Not Applicable |
| Other means of identification | Not Available |
| CAS number | Not Applicable |

Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified | Surface applied coating to increase skid resistance and night time reflectivity of road markings. |
|---------------------|---|
| uses | Currace applied country to increase said resistance and high time renectivity of road markings. |

Details of the manufacturer/importer

| Registered company name | Crystalite Design |
|-------------------------|--|
| Address | 26-28 Frederick Kelly Street South West Rocks 2431 NSW Australia |
| Telephone | +61 2 6566 7766 |
| Fax | Not Available |
| Website | www.crystalite.com.au |
| Email | ryan@crystalite.com.au |

Emergency telephone number

| Association / Organisation | Not Available |
|-----------------------------------|------------------------------------|
| Emergency telephone numbers | +61 407 766 796 (Mon-Fri; 8am-6pm) |
| Other emergency telephone numbers | +61 407 766 796 (Mon-Fri; 8am-6pm) |

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

| Poisons Schedule | Not Applicable |
|--------------------|----------------|
| GHS Classification | Not Applicable |
| Label elements | |
| | |

| GHS label elements | Not Applicable |
|--------------------|----------------|
| | |
| SIGNAL WORD | NOT APPLICABLE |

Chemwatch: 4966-84 Page 2 of 6 Version No: 6.1.1.1

Crystalite Glass Beads

Issue Date: 02/12/2014 Print Date: 02/12/2014

Hazard statement(s)

Not Applicable

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|-------------|-----------|-------------|
| 65997-17-3. | >90 | glass beads |

SECTION 4 FIRST AID MEASURES

Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|--|
| Skin Contact | If skin or hair contact occurs: ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation. |
| Inhalation | If dust is inhaled, remove from contaminated area. Encourage patient to blow nose to ensure clear passage of breathing. If irritation or discomfort persists seek medical attention. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

| ▶ There is no restriction on the type of extinguisher which may be used. |
|--|
| Use extinguishing media suitable for surrounding area. |

Special hazards arising from the substrate or mixture

| openia natana anomg nom mo oacenta o nimitano | |
|---|-------------|
| Fire Incompatibility | None known. |

Advice for firefighters

| Author for monginers | |
|-----------------------|--|
| Fire Fighting | Alert Fire Brigade and tell them location and nature of hazard. Use fire fighting procedures suitable for surrounding area. Product is not combustible. No special firefighting procedures required. |
| Fire/Explosion Hazard | Non combustible. Not considered a significant fire risk, however containers may burn. |

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Minor Spills | Sweep up. |
|--------------|---|
| Major Spills | Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Wear physical protective gloves e.g. Leather. Contain spill/secure load if safe to do so. Bundle/collect recoverable product and label for recycling. |
| | Personal Protective Equipment advice is contained in Section 8 of the MSDS. |

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

| Safe handling | No special handling procedures required. |
|-------------------|--|
| Other information | No special storage precautions required |

Conditions for safe storage, including any incompatibilities

| Suitable container | Multi-ply paper bag with sealed plastic liner or heavy gauge plastic bag. NOTE: Bags should be stacked, blocked, interlocked, and limited in height so that they are stable and secure against sliding or collapse. Check that all containers are clearly labelled and free from leaks. Packing as recommended by manufacturer. |
|-------------------------|--|
| Storage incompatibility | None known |

PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

| glass beads Fibrous glass; (Fiber glass; Glass frit; Synthetic vitreous fibers) 15 mg/m3 170 mg/m3 990 mg/m3 | Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 |
|--|-------------|---|----------|-----------|-----------|
| | glass beads | Fibrous glass; (Fiber glass; Glass frit; Synthetic vitreous fibers) | 15 mg/m3 | 170 mg/m3 | 990 mg/m3 |

| Ingredient | Original IDLH | Revised IDLH |
|-------------|---------------|---------------|
| glass beads | Not Available | Not Available |

Exposure controls

Body protection

See Other protection below

| Exposure controls | |
|----------------------------------|--|
| Appropriate engineering controls | Generally not applicable. Used outdoors. |
| Personal protection | |
| Eye and face protection | Safety glasses with side shields; or as required, Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. |
| Skin protection | See Hand protection below |
| Hands/feet protection | Wear physical protective gloves, e.g. leather. Wear safety footwear. |

Chemwatch: 4966-84 Page 4 of 6 Issue Date: 02/12/2014 Version No: 6.1.1.1 Print Date: 02/12/2014

Crystalite Glass Beads

No special equipment needed when handling small quantities. OTHERWISE: Overalls. Other protection ▶ Barrier cream. ▶ Eyewash unit. Thermal hazards Not Available

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the computer-generated selection:

Crystalite Glass Beads Not Available

| Material | СРІ |
|----------|-----|
|----------|-----|

- * CPI Chemwatch Performance Index
- A: Best Selection
- B: Satisfactory; may degrade after 4 hours continuous immersion
- C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Respiratory protection

Not Applicable

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state | Manufactured | Relative density (Water = 1) | 2.6-2.7 |
|--|----------------|---|----------------|
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | Not Applicable | Decomposition temperature | Not Applicable |
| Melting point / freezing point (°C) | >600 | Viscosity (cSt) | Not Applicable |
| Initial boiling point and boiling range (°C) | Not Applicable | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | Not Applicable | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Applicable |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | Not Applicable |
| Vapour pressure (kPa) | Not Applicable | Gas group | Not Available |
| Solubility in water (g/L) | Not Applicable | pH as a solution(1%) | Not Applicable |
| Vapour density (Air = 1) | Not Applicable | VOC g/L | Not Available |

Appearance Odourless white/greyish glass spheres and quartz aggregate. Particle size 99.99% 5mm.

SECTION 10 STABILITY AND REACTIVITY

| Reactivity | See section 7 |
|--------------------|---|
| Chemical stability | Product is considered stable and hazardous polymerisation will not occur. |

Page 5 of 6 Issue Date: 02/12/2014 Chemwatch: 4966-84 Version No: 6.1.1.1 Print Date: 02/12/2014

Crystalite Glass Beads

| Possibility of hazardous reactions | See section 7 |
|--|---------------|
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

| Inhaled | Generated dust may be discomforting |
|--------------|--|
| Ingestion | Not normally a hazard due to the physical form of product. The material is a physical irritant to the gastro-intestinal tract |
| Skin Contact | The material may be mildly discomforting |
| Eye | Not normally a hazard due to physical form of product. The dust may produce eye discomfort and abrasive eye inflammation. |
| Chronic | Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. |

| Crystalite Glass Beads | TOXICITY Not Available | IRRITATION Not Available |
|------------------------|-------------------------|---------------------------|
| glass beads | TOXICITY Not Available | IRRITATION Not Available |

Not available. Refer to individual constituents.

| GLASS BEADS | No data of toxicological significance identified in literature search. | | |
|-----------------------------------|--|-----------------------------|---|
| | | | |
| Acute Toxicity | 0 | Carcinogenicity | 0 |
| Skin Irritation/Corrosion | 0 | Reproductivity | 0 |
| Serious Eye Damage/Irritation | 0 | STOT - Single Exposure | 0 |
| Respiratory or Skin sensitisation | 0 | STOT - Repeated Exposure | 0 |
| Mutagenicity | 0 | Aspiration Hazard | 0 |

Legend:

✓ – Data required to make classification available

🗶 – Data available but does not fill the criteria for classification

Not Available to make classification

CMR STATUS

Not Applicable

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|---------------------------------------|---------------------------------------|
| | No Data available for all ingredients | No Data available for all ingredients |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|------------|---------------------------------------|
| | No Data available for all ingredients |

Mobility in soil

| Ingredient | Mobility | |
|------------|----------|--|
| | | |

Chemwatch: 4966-84 Page 6 of 6 Issue Date: 02/12/2014 Version No: 6.1.1.1 Print Date: 02/12/2014

Crystalite Glass Beads

No Data available for all ingredients

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- Recycle wherever possible or consult manufacturer for recycling options.
- · Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.
- Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 TRANSPORT INFORMATION

Labels Required

| Marine Pollutant | NO |
|------------------|----------------|
| HAZCHEM | Not Applicable |

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

beads(65997-17-3.) is found on the following regulatory lists

"Australia Inventory of Chemical Substances (AICS)","Australia Hazardous Substances Information System - Consolidated Lists"

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net/references

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.